


Author Index of Volume 86

- Adamiec, J. 207
Akulich, P.V. 25
Alpbaz, M. 259
Anastasov, A.I. 287
Augier, F. 133
- Banaszak, J. 139
Barker, A.J. 111
Besson, A. 185
Bimbenet, J.J. 173
Biswas, M.N. 331
Boger, D.V. 319
Bonazzi, C. 173
Bröcker, S. 61
Bruneau, D.M. 165
- Coumans, W.J. 133
- de Lima, A.G.B. 85
Delag, A. 207
Desbat, B. 165
Didriksen, H. 53
do A. Sobral, P.J. 199
Ducept, F. 75
- East, J. 111
Elustondo, D.M. 69
Elustondo, M.P. 69
Erdoğan, S. 259
Espitalier, F. 233
- Feng, J. 243
Foucat, L. 173
Frías, J.M. 173
Fumizawa, M. 243
- García, M.A. 47
Gavrilidis, A. 277
Goyeneche, M. 165
Grinchik, N.N. 25
Groenewold, C. 217
Groenewold, H. 217
- Hamachi, M. 251
Heinrich, S. 223
Hua, B. 375
Hubinger, M.D. 199
Hugget, A. 133
- Inoshita, T. 179
- Jan Coumans, W. 1
- Kaasschieter, E.F. 133
Kage, H. 3
Karagöz, A.R. 259
Kerkhof, P.J.A.M. 1
Kind, M. 17
Kolenda, F. 95
Kowalski, S.J. 139, 145
Kundu, G. 331
Kuts, P.S. 25
- Larraz, R. 309
Lasseux, D. 165
Li, H. 269
Li, X. 375
Li, Z. 375
Louisnard, O. 233
Lyczko, N. 233
- Madaram, H. 243
Matsuno, Y. 3
McKay, G. 343
Medina-Vivanco, M. 199
Meikap, B.C. 331
Mercier, F. 95
Mietton-Peuchot, M. 251
Misra, R. 111
Miyashita, H. 193
Monzón, A. 369
Mörl, L. 223
Möser, C. 217
Mujumdar, A.S. 3
- Nadeau, J.P. 165
Nava, J. 47
Nebra, S.A. 85
Nogotov, E.F. 25
- Ogura, H. 3
Okamoto, K. 243
- Palencia, C. 47
Pang, S. 103
Peglow, M. 223
Perré, P. 117
Prakash, A. 269
Prat, M. 153
Prawampit, A. 11
Puiggali, J.R. 95
- Queiroz, M.R. 85
- Räderer, M. 185
- Rodríguez, G.C. 47
Romeo, E. 369
Royo, C. 369
- Saeki, T. 179
Salgado, M.A. 47
Schlinder, E.-U. 17
Schwartz, J.P. 61
Schwartzentruber, J. 233
Sionneau, M. 75
Sofrá, F. 319
Sommer, K. 185
Stein, J. 17
Strumillo, C. 25, 207
- Tanthapanichakoon, W. 11
Tsotsas, E. 217
Tsuru, D. 243
Turner, I.W. 117
- Urbicain, M. 69
- Vasseur, J. 75
- Xi, H. 375
- Yamamoto, S. 179
Yamamoto, T. 3
Yoshida, M. 193
- Zanfir, M. 277
Zbiciński, I. 25
Zbiciński, I. 33, 207
Zhang, K. 299



Subject Index of Volume 86

Absorption

The influence of HCl on SO₂ absorption in the spray dry scrubbing process, 17

Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization, 331

Acoustic emission

Modelling of fracture phenomena in dried materials, 145

Acoustic levitator

Determination of single-particle drying kinetics in an acoustic levitator, 217

Admissible stresses

Modelling of fracture phenomena in dried materials, 145

Adsorption

Effects of ultrasound on adsorption equilibrium of phenol on polymeric adsorption resin, 375

Airless drying

A theoretical explanation for the inversion temperature, 61

Alumina

Influence of the mechanical behavior law on the drying of an alumina gel, 95

Anisotropic

A heterogeneous wood drying computational model that accounts for material property variation across growth rings, 117

Augmented Kalman filter

Model based predictive control of a rotary dryer, 53

Axial solid concentration distribution

Axial solid concentration distribution in tapered and cylindrical bubble columns, 299

Banana

Simultaneous moisture transport and shrinkage during drying of solids with ellipsoidal configuration, 85

Bubble column

Analysis of flow patterns in bubble and slurry bubble columns based on local heat transfer measurements, 269

Capillary porous media

Recent advances in pore-scale models for drying of porous media, 153

Capillary porous medium

On a pore-scale film flow approach to describe moisture transfer in a hygroscopic porous medium, 165

Catalytic plate reactors (CPRs)

Parametric sensitivity in catalytic plate reactors with first-order endothermic–exothermic reactions, 277

CFD

Superheated steam dryer: simulations and experiments on product drying, 75

CFD calculations of transient flow

Equipment, technology, perspectives and modeling of pulse combustion drying, 33

Chemical heat pump

Effects of heat exchange condition on hot air production by a chemical heat pump dryer using CaO/H₂O/Ca(OH)₂ reaction, 3

Claus catalyst

Influence of fractal pore structure in Claus catalyst performance, 309

Clay

Drying induced stresses estimated on the base of elastic and viscoelastic models, 139

Clay drying

On the risk of cracking in clay drying, 133

Colebrook–White equation

Improved explicit equations for estimation of the friction factor in rough and smooth pipes, 369

Constant drying rate period

Drying induced stresses estimated on the base of elastic and viscoelastic models, 139

Controlled batch polymerization reactor

The effect of operational conditions on the performance of batch polymerization reactor control, 259

Control-volume finite-element method

A heterogeneous wood drying computational model that accounts for material property variation across growth rings, 117

Convective dryer

Effects of heat exchange condition on hot air production by a chemical heat pump dryer using CaO/H₂O/Ca(OH)₂ reaction, 3

Coupled transport

Influence of the mechanical behavior law on the drying of an alumina gel, 95

Cracking criterion

On the risk of cracking in clay drying, 133

Critical flux

Analysis of deposit behaviour in crossflow microfiltration by means of thickness measurement, 251

3D gas density

Visualization of 3D gas density distribution using optical tomography, 243

Darcy–Weisbach equation

Improved explicit equations for estimation of the friction factor in rough and smooth pipes, 369

Deposit thickness

Analysis of deposit behaviour in crossflow microfiltration by means of thickness measurement, 251

Desorption isotherm

Drying of gelled sugar solutions—water diffusion behavior, 179

Dew point hygrometer

Determination of single-particle drying kinetics in an acoustic levitator, 217

Diffusion

A thin film dryer approach for the determination of water diffusion coefficients in viscous products, 185

Diffusivity

Modeling of moisture profiles in paddy rice during drying mapped with magnetic resonance imaging, 173

Digital camera imaging

Controlled drying to enhance properties of technical ceramics, 111

- Droplet-particle transformation**
Advanced experimental analysis of drying kinetics in spray drying, 207
- Drying**
Modeling of gas dynamics in a pulse combustion chamber to predict initial drying process parameters, 25
Simultaneous moisture transport and shrinkage during drying of solids with ellipsoidal configuration, 85
On a pore-scale film flow approach to describe moisture transfer in a hygroscopic porous medium, 165
Unsteady and steady-state particle size distributions in batch and continuous fluidized bed granulation systems, 223
- Drying induced stresses**
Drying induced stresses estimated on the base of elastic and viscoelastic models, 139
- Drying kinetics**
Controlled drying to enhance properties of technical ceramics, 111
Determination of single-particle drying kinetics in an acoustic levitator, 217
- Drying model**
Investigation of effects of wood variability and rheological properties on lumber drying: application of mathematical models, 103
- Drying process intensification**
Equipment, technology, perspectives and modeling of pulse combustion drying, 33
- Drying rate**
Drying with superheated steam: maximum drying rate as a linear function of pressure, 69
Drying of gelled sugar solutions—water diffusion behavior, 179
- Drying stress**
Investigation of effects of wood variability and rheological properties on lumber drying: application of mathematical models, 103
- Dynamic model**
New simple mathematical model of a honeycomb rotary absorption-type dehumidifier, 11
- Effective diffusivity**
Osmotic dehydration of tilapia fillets in limited volume of ternary solutions, 199
- Efficiency**
Effects of heat exchange condition on hot air production by a chemical heat pump dryer using $\text{CaO}/\text{H}_2\text{O}/\text{Ca}(\text{OH})_2$ reaction, 3
- Elasticity**
On the risk of cracking in clay drying, 133
- Electroconductivity**
Drying of gelled sugar solutions—water diffusion behavior, 179
- Ellipsoidal geometry**
Simultaneous moisture transport and shrinkage during drying of solids with ellipsoidal configuration, 85
- Environment**
Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization, 331
- Films**
On a pore-scale film flow approach to describe moisture transfer in a hygroscopic porous medium, 165
- Filtered-backprojection**
Visualization of 3D gas density distribution using optical tomography, 243
- First principles modeling**
Model based predictive control of a rotary dryer, 53
- Fixed bed reactor**
A study of the influence of the operating parameters on the temperature of the hot spot in a fixed bed reactor, 287
- Flow patterns**
Analysis of flow patterns in bubble and slurry bubble columns based on local heat transfer measurements, 269
- Flow structures**
Analysis of flow patterns in bubble and slurry bubble columns based on local heat transfer measurements, 269
- Flue gas**
Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization, 331
- Fluidized bed**
Unsteady and steady-state particle size distributions in batch and continuous fluidized bed granulation systems, 223
- Flux limiting**
A heterogeneous wood drying computational model that accounts for material property variation across growth rings, 117
- Fouling**
Analysis of deposit behaviour in crossflow microfiltration by means of thickness measurement, 251
- Fractal dimension**
Influence of fractal pore structure in Claus catalyst performance, 309
- Fracture criterion**
Modelling of fracture phenomena in dried materials, 145
- Friction factor**
Improved explicit equations for estimation of the friction factor in rough and smooth pipes, 369
- Gas dynamics**
Modeling of gas dynamics in a pulse combustion chamber to predict initial drying process parameters, 25
- Gel**
Influence of the mechanical behavior law on the drying of an alumina gel, 95
Drying of gelled sugar solutions—water diffusion behavior, 179
- Globally convergent Newton method**
A heterogeneous wood drying computational model that accounts for material property variation across growth rings, 117
- Granulation**
Unsteady and steady-state particle size distributions in batch and continuous fluidized bed granulation systems, 223
- Head loss in pipes**
Improved explicit equations for estimation of the friction factor in rough and smooth pipes, 369
- Heat and mass transfer**
Effects of heat exchange condition on hot air production by a chemical heat pump dryer using $\text{CaO}/\text{H}_2\text{O}/\text{Ca}(\text{OH})_2$ reaction, 3
A theoretical explanation for the inversion temperature, 61
Drying behavior of polymer solution containing two volatile solvents, 193
- Heat recovery**
Effects of heat exchange condition on hot air production by a chemical heat pump dryer using $\text{CaO}/\text{H}_2\text{O}/\text{Ca}(\text{OH})_2$ reaction, 3
- Heat transfer coefficient**
The effect of operational conditions on the performance of batch polymerization reactor control, 259
Analysis of flow patterns in bubble and slurry bubble columns based on local heat transfer measurements, 269
- Heterogeneous**
A heterogeneous wood drying computational model that accounts for material property variation across growth rings, 117
- Honeycomb**
New simple mathematical model of a honeycomb rotary absorption-type dehumidifier, 11
- Hot spot**
A study of the influence of the operating parameters on the temperature of the hot spot in a fixed bed reactor, 287
- Hydrated lime**
The influence of HCl on SO_2 absorption in the spray dry scrubbing process, 17

- Hydrogen chloride
The influence of HCl on SO₂ absorption in the spray dry scrubbing process, 17
- Induction time
Effect of ultrasound on the induction time and the metastable zone widths of potassium sulphate, 233
- Industrial applications
Equipment, technology, perspectives and modeling of pulse combustion drying, 33
- Inversion temperature
A theoretical explanation for the inversion temperature, 61
- Irreducible saturation
On a pore-scale film flow approach to describe moisture transfer in a hygroscopic porous medium, 165
- Isotherm
Effects of ultrasound on adsorption equilibrium of phenol on polymeric adsorption resin, 375
- Lithium chloride salt
New simple mathematical model of a honeycomb rotary absorption-type dehumidifier, 11
- Lumber drying
Investigation of effects of wood variability and rheological properties on lumber drying: application of mathematical models, 103
- Macro-cracking
Controlled drying to enhance properties of technical ceramics, 111
- Maltodextrin
A thin film dryer approach for the determination of water diffusion coefficients in viscous products, 185
- Mass
Simultaneous moisture transport and shrinkage during drying of solids with ellipsoidal configuration, 85
- Maxwell model
Drying induced stresses estimated on the base of elastic and viscoelastic models, 139
- Mechanical strength
Modelling of fracture phenomena in dried materials, 145
- Mechanism of pulse combustion
Equipment, technology, perspectives and modeling of pulse combustion drying, 33
- Membrane
Analysis of deposit behaviour in crossflow microfiltration by means of thickness measurement, 251
- Metastable zone
Effect of ultrasound on the induction time and the metastable zone widths of potassium sulphate, 233
- Microfiltration
Analysis of deposit behaviour in crossflow microfiltration by means of thickness measurement, 251
- Microseparator measurements
Advanced experimental analysis of drying kinetics in spray drying, 207
- Mineral processing
Environmental rheology for waste minimisation in the minerals industry, 319
- Minerals
Environmental rheology for waste minimisation in the minerals industry, 319
- Model
Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization, 331
- Model based predictive control
Model based predictive control of a rotary dryer, 53
- Modeling
Influence of the mechanical behavior law on the drying of an alumina gel, 95
- A thin film dryer approach for the determination of water diffusion coefficients in viscous products, 185
- Drying behavior of polymer solution containing two volatile solvents, 193
- Unsteady and steady-state particle size distributions in batch and continuous fluidized bed granulation systems, 223
- Modified sedimentation–dispersion model
Axial solid concentration distribution in tapered and cylindrical bubble columns, 299
- Moisture content
Investigation of effects of wood variability and rheological properties on lumber drying: application of mathematical models, 103
- Moisture transport phenomena
Modeling of moisture profiles in paddy rice during drying mapped with magnetic resonance imaging, 173
- Multi-component
Drying behavior of polymer solution containing two volatile solvents, 193
- Multicomponent diffusion
Osmotic dehydration of tilapia fillets in limited volume of ternary solutions, 199
- Municipal solid waste incineration
Dioxin characterisation, formation and minimisation during municipal solid waste (MSW) incineration: review, 343
- NMR
Modeling of moisture profiles in paddy rice during drying mapped with magnetic resonance imaging, 173
- Non-linear regression
Improved explicit equations for estimation of the friction factor in rough and smooth pipes, 369
- Novel dryer
Effects of heat exchange condition on hot air production by a chemical heat pump dryer using CaO/H₂O/Ca(OH)₂ reaction, 3
- Nucleation
Effect of ultrasound on the induction time and the metastable zone widths of potassium sulphate, 233
- Operating parameters
A study of the influence of the operating parameters on the temperature of the hot spot in a fixed bed reactor, 287
- Optical tomography
Visualization of 3D gas density distribution using optical tomography, 243
- Optimum pressure
Drying with superheated steam: maximum drying rate as a linear function of pressure, 69
- Parameter estimation
Modeling of moisture profiles in paddy rice during drying mapped with magnetic resonance imaging, 173
- Parametric sensitivity analysis (PSA)
Parametric sensitivity in catalytic plate reactors with first-order endothermic–exothermic reactions, 277
- PDA analysis
Advanced experimental analysis of drying kinetics in spray drying, 207
- Percolation theory
Recent advances in pore-scale models for drying of porous media, 153
- Phenol
Effects of ultrasound on adsorption equilibrium of phenol on polymeric adsorption resin, 375
- Poling
Controlled drying to enhance properties of technical ceramics, 111
- Polychlorinated dibenzodioxins
Dioxin characterisation, formation and minimisation during municipal solid waste (MSW) incineration: review, 343

- Polychlorinated dibenzofurans**
Dioxin characterisation, formation and minimisation during municipal solid waste (MSW) incineration: review, 343
- Polymer solution**
Drying behavior of polymer solution containing two volatile solvents, 193
- Polymeric resin**
Effects of ultrasound on adsorption equilibrium of phenol on polymeric adsorption resin, 375
- Population balance**
Unsteady and steady-state particle size distributions in batch and continuous fluidized bed granulation systems, 223
- Pore networks**
Recent advances in pore-scale models for drying of porous media, 153
- Potassium sulphate**
Effect of ultrasound on the induction time and the metastable zone widths of potassium sulphate, 233
- Pulse combustion**
Modeling of gas dynamics in a pulse combustion chamber to predict initial drying process parameters, 25
- Pure and binary liquids**
Recent advances in pore-scale models for drying of porous media, 153
- Reactor control**
The effect of operational conditions on the performance of batch polymerization reactor control, 259
- Relative permeabilities**
On a pore-scale film flow approach to describe moisture transfer in a hygroscopic porous medium, 165
- Residence time distribution**
Superheated steam dryer: simulations and experiments on product drying, 75
- Rheology**
Influence of the mechanical behavior law on the drying of an alumina gel, 95
Environmental rheology for waste minimisation in the minerals industry, 319
- Robust control**
Robustness of a proportional-integral with feedforward action control in a plant pilot spray dryer, 47
- Rotary dehumidifier**
New simple mathematical model of a honeycomb rotary absorption-type dehumidifier, 11
- Rotary dryer**
Model based predictive control of a rotary dryer, 53
- Salt**
Osmotic dehydration of tilapia fillets in limited volume of ternary solutions, 199
- Shrinkage**
Simultaneous moisture transport and shrinkage during drying of solids with ellipsoidal configuration, 85
Influence of the mechanical behavior law on the drying of an alumina gel, 95
Controlled drying to enhance properties of technical ceramics, 111
A thin film dryer approach for the determination of water diffusion coefficients in viscous products, 185
- Simulation**
Simultaneous moisture transport and shrinkage during drying of solids with ellipsoidal configuration, 85
Recent advances in pore-scale models for drying of porous media, 153
- Single particle**
Determination of single-particle drying kinetics in an acoustic levitator, 217
- Slurry bubble column**
Analysis of flow patterns in bubble and slurry bubble columns based on local heat transfer measurements, 269
- SO₂**
Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization, 331
- Softwood**
Investigation of effects of wood variability and rheological properties on lumber drying: application of mathematical models, 103
- Solid absorbent**
New simple mathematical model of a honeycomb rotary absorption-type dehumidifier, 11
- Spray dry scrubbing**
The influence of HCl on SO₂ absorption in the spray dry scrubbing process, 17
- Spray dryer**
Superheated steam dryer: simulations and experiments on product drying, 75
- Spray drying**
Robustness of a proportional-integral with feedforward action control in a plant pilot spray dryer, 47
- Stress model**
Investigation of effects of wood variability and rheological properties on lumber drying: application of mathematical models, 103
- Sucrose**
Osmotic dehydration of tilapia fillets in limited volume of ternary solutions, 199
- Sugar beet drying**
Model based predictive control of a rotary dryer, 53
- Sulfur dioxide**
The influence of HCl on SO₂ absorption in the spray dry scrubbing process, 17
- Superheated steam**
A theoretical explanation for the inversion temperature, 61
Drying with superheated steam: maximum drying rate as a linear function of pressure, 69
- Tailing disposal**
Environmental rheology for waste minimisation in the minerals industry, 319
- Tapered slurry bubble column**
Axial solid concentration distribution in tapered and cylindrical bubble columns, 299
- Thiele modulus**
Influence of fractal pore structure in Claus catalyst performance, 309
- Thin film dryer**
A thin film dryer approach for the determination of water diffusion coefficients in viscous products, 185
- Topography**
Environmental rheology for waste minimisation in the minerals industry, 319
- Ultrasound**
Effect of ultrasound on the induction time and the metastable zone widths of potassium sulphate, 233
Effects of ultrasound on adsorption equilibrium of phenol on polymeric adsorption resin, 375
- Viscosity**
Drying of gelled sugar solutions—water diffusion behavior, 179
- Water diffusivity**
Drying of gelled sugar solutions—water diffusion behavior, 179
- Weibull modulus**
Controlled drying to enhance properties of technical ceramics, 111
- Wet scrubber**
Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization, 331

(contents continued from outside back cover)

| | |
|--|-----|
| Axial solid concentration distribution in tapered and cylindrical bubble columns K. Zhang | 299 |
| Influence of fractal pore structure in Claus catalyst performance R. Larraz | 309 |
| Environmental Chemical Engineering | |
| Environmental rheology for waste minimisation in the minerals industry F. Sofrá and D.V. Boger | 319 |
| Modeling of a novel multi-stage bubble column scrubber for flue gas desulfurization B.C. Meikap, G. Kundu and M.N. Biswas | 331 |
| Dioxin characterisation, formation and minimisation during municipal solid waste (MSW) incineration: review G. McKay | 343 |
| Short communications | |
| Improved explicit equations for estimation of the friction factor in rough and smooth pipes E. Romeo, C. Royo and A. Monzón | 369 |
| Effects of ultrasound on adsorption equilibrium of phenol on polymeric adsorption resin Z. Li, X. Li, H. Xi and B. Hua | 375 |
| Author Index | 381 |
| Subject Index | 383 |